


JELV532C



JELV522S

Ordering Code

JEL	V	52	2	S	AC220V	W
↓	↓	↓	↓	↓	↓	↓
JELPC	Type	Position and Way	Port Size	Coil and Places	Standard Voltage	Wiring
	V: Solenoid valve A: Air pilot valve	52: 5/2 Way 53: 5/3 Way	1: G1/8" 2: G1/4" 3: G3/8" 4: G1/2"	S: Single coil D: Double coil C: Mid-position closed E: Mid-position exhausted P: Mid-position pressed	DC12V DC24V AC24V 50Hz/60Hz AC110V 50Hz/60Hz AC220V 50Hz/60Hz AC380V 50Hz/60Hz	LD: Brown with light terminal LD1: White with light terminal W: Lead wire

Specification

Model	JELV521S	JELV521D	JELV531C(E/P)	JELV522S	JELV522D	JELV532C(E/P)	JELV523S	JELV523D	JELV533C(E/P)	JELV524S	JELV524D	JELV534C(E/P)
	JELA521S	JELA521D	JELA531C(E/P)	JELA522S	JELA522D	JELA532C(E/P)	JELA523S	JELA523D	JELA533C(E/P)	JELA524S	JELV524D	JELA534C(E/P)
Valve Type	5/2 Way		5/3 Way	5/2 Way		5/3 Way	5/2 Way		5/3 Way	5/2 Way		5/3 Way
Effective Cross Section Area	12mm²(CV=0.67)		9mm²(CV=0.5)	14mm²(CV=0.78)		12mm²(CV=0.69)	25mm²(CV=1.40)		18mm²(CV=1.00)	50mm²(CV=2.79)		30mm²(CV=1.68)
Working Medium	40 Micron Filtered Air											
Operation	Internal piloted											
Working Pressure	0.15 ~ 0.8MPa											
Max. Test Pressure	1.2MPa											
Max. Ambient Temperature	-20 ~ 70°C											
Operating Voltage Tolerance	±10%											
Power Consumption	AC: 5.5VA DC: 4.8W											
Connector Protection	F Class, IP 65											
Wiring / Connector	Cable / Lead Wire or DIN Connector											
Switching Frequency	5 Cycles / Sec.											
Response Time	0.05秒											

Valve

J4V
J4V100
J4V200
J4V300
J4V400
Manifold
JSY
Terminal
JVT

JEL

MVSD
VF
NAMUR
551
JEL10
3VJZF
Diaphragm
JELVD
3V1
Coil
2P
2V
2W
2W(big)
2L
VX
PU
PU225
2Q
JEL5404
JEL6213
Pulse
JELJZF
4H
TSV
MPV
4HV
HV, K
4R
4F210
FV
MSV
JM
ASC, RE
QE, QEA
ST
HSV

JEL Series

Solenoid Valve



Valve

J4V

J4V100

J4V200

J4V300

J4V400

Manifold

JSY

Terminal

JVT

JEL

MVSD

VF

NAMUR

551

JEL10

3VJZF

Diaphragm

JELVD

3V1

Coil

2P

2V

2W

2W(big)

2L

VX

PU

PU225

2Q

JEL5404

JEL6213

Pulse

JELJZF

4H

TSV

MPV

4HV

HV, K

4R

4F210

FV

MSV

JM

ASC, RE


QE, QEA

ST


HSV

Overall Dimension


JEL521S




JEL521D



JEL522S




JEL522D




Overall Dimension


JEL523S




JEL523D



JEL524S



JEL524D



Valve

J4V
J4V100
J4V200
J4V300
J4V400
Manifold
JSY
Terminal
JVT

JEL

MVSD
VF
NAMUR
551
JEL10
3VJZF
Diaphragm
JELVD
3V1
Coil
2P
2V
2W
2W(big)
2L
VX
PU
PU225
2Q
JEL5404
JEL6213
Pulse
JELJZF
4H
TSV
MPV
4HV
HV, K
4R
4F210
FV
MSV
JM
ASC, RE
QE, QEA
ST
HSV